XTRACTOR VENT® X18 XTRA

Internal filter for extra protection against extreme weather

Maximum ventilation - 18 square inches of net free area per linear foot

External and internal baffles prevent wind-driven rain and snow infiltration

Hot Dipped Galvanized ring shank nails included

Pre-drilled nail holes for proper fastening of vent

Integrated end plugs throughout for structural integrity and to reduce scrap

Embossed nail lines for correct nail placement and an embossed center line for proper alignment on the ridge



Externally baffled ridge vent with an internal filter for powerful roof protection

Specially designed to extract heat and moisture out of the attic, Benjamin Obdyke's Xtractor Vent series features an external baffle to provide extra peace-of-mind in extreme weather areas and energy efficiency throughout the home.





Xtractor Vent

Combines all the benefits of X18 sectional ridge vent with an internal filter

let Free Area	18 in²/lin
/idth	1.43% in

14¾ in

Length

4 ft sections

Thickness

13/16 in

Warranty

Lifetime Limited

Patents

6,277,024 US

Code Approvals: Meets or exceeds: FHA. HUD. ICC. MDC and NBC



Benjamin Obdyke knows Ridge Vent

In 1987, Benjamin Obdyke transformed the industry with the creation of Roll Vent, the first ridge vent on a roll. Since then, we've provided our customers with innovative products to help them Build Better™.



1.6 million roofs protected



Made in USA



Most trusted ridge vent for over 30 years



Tested to highest standards for weather infiltration



Premium hot dipped galvanized nails included



Now with Lifetime Limited Warranty

Not all ridge vents are created equally, especially when it comes to keeping attics cool and dry. Many ridge vents on the market do not provide proper protection from wind driven rain and snow. With 14 different product options, Benjamin Obdyke provides solutions that meet your attic ventilation needs.

Ridge Vent works on the basis of several principles. Adequate soffit ventilation coupled with ridge ventilation produces a pathway for continuous airflow along the entire underside of the roof deck. Airflow is maintained two ways. First, hot air naturally rises and exits out the ridge vent, pulling in cooler air from below. Second, positive airflow across the ridge of the house creates a "venturi effect" or a negative pressure, which pulls air out of the ridge vent and brings in cooler air, from the soffits below. In calm or windy weather, the entire attic is vented by a constant flow of cooler, dryer outside air.

